


# svan

## QUARTZ HEATER OPERATING INSTRUCTIONS

MODEL:  
SVCA282EH



### **GENERAL INFORMATION**

- PLEASE READ THESE INSTRUCTIONS CAREFULLY BEFORE CARRYING OUT ANY OPERATIONS WITH THIS APPLIANCE. KEEP THIS MANUAL IN A SAFE PLACE FOR FUTURE REFERENCES
- BEFORE REMOVING THE PACKAGING, MAKE SURE THE APPLIANCE IS IN PERFECT CONDITIONS. IF IT IS NOT, RETURN TO THE POINT OF PURCHASE.
- THE PACKAGING MATERIALS CONTAIN PLASTIC AND OTHER MATERIALS, THEREFORE PLEASE STORE THEM OUT OF THE REACH OF CHILDREN

### **ELECTRICAL CONNECTION**

- BEFORE CONNECTING THE APPLIANCE, MAKE SURE THAT THE APPLIANCE'S RATING PLATE CORRESPONDS TO THE LOCAL POWER SUPPLY NETWORK.
- THE APPLIANCE'S ELECTRICAL SAFETY CAN ONLY BE GUARANTEED WHEN IT IS GROUNDED AND USED CORRECTLY.
- THIS APPLIANCE HAS BEEN MANUFACTURED IN COMPLIANCE WITH DIRECTIVE 89/336 CEE CONCERNING ELECTROMAGNETIC INTERFERENCE.

### **IMPORTANT WARNING**

- WE STRONGLY RECOMMEND THAT THE ELECTRICAL INSTALLATION BE CARRIED OUT BY QUALIFIED PROFESSIONAL PERSONNEL.
- DO NOT INSTALL THE APPLIANCE CLOSE TO BATHTUBS, SHOWERS, WASHBASIN OR SWIMMING POOLS.
- THE APPLIANCE IS INTENDED FOR HEATING, ANY OTHER USE COULD BE DANGEROUS. THE MANUFACTURER SHALL NOT BE RESPONSIBLE FOR SUCH DAMAGES.
- DO NOT PLACE A COVER OR OTHER OBJECTS OVER THE APPLIANCE AS THEY COULD CATCH FIRE DURING USE!
- DO NOT USE ACCESSORIES OR EQUIPMENT NOT PROVIDED BY THE MANUFACTURER
- INSTALL THE APPLIANCE ONLY IN ITS HORIZONTAL POSITION
- DO NOT INSTALL THE APPLIANCE CLOSE TO ANY ELECTRICAL LIGHTING APPLIANCE
- AVOID PLACING THE APPLIANCE BEHIND DOORS OR CLOSE TO FURNITURE.
- HEATER IS FORBIDDEN TO BE PUT UNDER THE OUTLET DIRECTLY

### **ELECTRICAL CONNECTION**

- THIS APPLIANCE MUST BE GROUNDED
- THIS APPLIANCE IS INTENDED FOR FIXED INSTALLATION, ONE WITH A PERMANENT ELECTRICAL CONNECTION.
- THE CABLE MUST HAVE SUFFICIENT POWER CAPACITY.
- MATERIAL: PVC
- NR. 3 CABLES (NEUTRAL, LIVE AND GROUND)
- ONCE THE ELECTRICAL CABLE IS INSERTED THROUGH THE WALL SUPPORT, ATTACH THE SUPPORT USING THE SUPPLIED SCREWS AND DOWELS WHICH WERE PREVIOUSLY INSERTED INTO THE WALL

- REMOVE THE SCREW FROM THE CABLE CLAMP AND PLACE THE CABLE IN THE PROVIDED SEAT, MAKE SURE THAT THE WIRE CONNECTIONS CORRESPOND TO THE SYMBOLS MARKED ON THE SUPPORT.

ATTENTION:THIS APPLIANCE MUST BE GROUNDED!

THE CABLES' COLORS ARE AS FOLLOWS:

GREEN AND YELLOW:GROUND.

BLUE:NEUTRAL

BROWN:LIVE.

THE GREEN AND YELLOW CABLES MUST BE CONNECTED TO THE TERMINAL MARKED WITH THE LETTER E AND GROUND SYMBOL.

THE BLUE CABLE MUST BE CONNECTED TO THE TERMINAL MARKED WITH THE LETTER N OR COLOR BLACK

THE BROWN CABLE MUST BE CONNECTED TO THE TERMINA MARKED WITH THE LETTER L.

CLAMP THE CABLES, REPLACE THE COVER AND SCREW IT ON THE WALL,REGULATE THE APPLIANCE'S INCLINATION ON THE WALL AND FIX IT PERMANENTLY ON THE WALL .

IMPORTANT

DURING THE ASSEMBLY, AVOID TOUCHING THE HEATING ELEMENTS(QUARTZ BARS)WITH YOUR HANDS AS THIS COULD LEAVE SPOTS AND DIMINISH THE TERMAL RADIATION.

USAGE INSTRUCTIONS

INSTRUCTION FOR SWITCH

0=OFF

1(,)=400W POWER

2(,)=800W POWER

3(,)=1200W POWER

DO NOT BE ALARMED IF YOU NOTICE SLIGHT VIBRATIONS WHICH GRADUALLY FADE AWAY, THIS IS PART OF THE APPLIANCE'S NORMAL BEHAVIOR.

MAINTENANCE

- BEFORE UNDERTAKING ANY MAINTENANCE OPERATION, DISONNECT THE APPLIANCE FROM THE POWER SUPPLY.
- THIS IS APPLIANCE DOES NOT REQUIRE ANY SPECIAL

MAINTENANCE.TO CLEAN IT,WIPE WITH A LIGHTLY DAMP CLOTH AND NEUTRAL DETERGENT,DO NO USE ABRASIVES OR ANY MATERIAL THAT COULD DAMAGE THE APPLIANCES SUPFACE,CHECK THAT PARTS EXPOSED TO THE HEAT RAYS AND THE VENTILATION ARE FREE OF DUST AND DIRT.DURING CLEANING,MAKE SURE NOT TO TOUCH THE QUARTZ HEATING ELEMENTS.

- IN CASE OF BREAKDOWN OF ANY PARTS OF THE APPLIANCE.DISCONNECT THE APPLIANCE AND CONTACT AN AUTHORIZED SERVICE CENTER.ALWAYS USE ORIGINAL SPARE PARTS WHICH ENSURE PROPER QUALITY AND PERFORMANCE
- NON-COMPLIANCE TO THE INDICATIONS STIPULATED IN THIS INSTRUCTION MANUAL COULD SERIOUSLY COMPROMISE THE APPLIANCE'S SAFETY AND RENDER THE WARRANTY INVALID.

Power: 400W/800W/1200W

Frequency:50Hz/60Hz

Voltage:220V-240V~